L Number	Hits	Search Text	DB	Time stamp
12	1620	(test same (measuring measure measurement	USPAT;	2004/01/25 19:25
		data)) and (cardio cardiac heart) and	US-PGPUB;	
		internet and patient	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/05 10 05
13	704	((test same (measuring measure measurement	USPAT;	2004/01/25 19:25
		data)) and (cardio cardiac heart) and	US-PGPUB; EPO; JPO;	
'	. '	internet and patient) and sensor	DERWENT:	
			IBM TDB	
14	481	(((test same (measuring measure	USPAT:	2004/01/25 19:25
1,2		measurement data)) and (cardio cardiac	US-PGPUB;	
		heart) and internet and patient) and	EPO; JPO;	
		sensor) and history	DERWENT;	
			IBM_TDB	
15	406	((((test same (measuring measure	USPAT;	2004/01/25 19:26
		measurement data)) and (cardio cardiac	US-PGPUB;	
		heart) and internet and patient) and	EPO; JPO;	
		sensor) and history) and medical	DERWENT; IBM TDB	
16	11	(((((test same (measuring measure	USPAT;	2004/01/25 20:11
10	1	measurement data)) and (cardio cardiac	US-PGPUB;	2004/01/20 20.11
		heart) and internet and patient) and	EPO; JPO;	
	1	sensor) and history) and medical) and	DERWENT;	·
		internet.ab.	IBM TDB	
17	27	((((test same (measuring measure	USPAT;	2004/01/25 20:16
		measurement data)) and (cardio cardiac	US-PGPUB;	
		heart) and internet and patient) and	EPO; JPO;	
		sensor) and history) and medical) and	DERWENT;	
	10	network.ab.	<pre>IBM_TDB USPAT;</pre>	2004/01/25 20:16
18	48	(((((test same (measuring measure measurement data)) and (cardio cardiac	US-PGPUB;	2004/01/25 20:16
		heart) and internet and patient) and	EPO; JPO;	
		sensor) and history) and medical) and	DERWENT;	
		download	IBM TDB	
19	29		USPAT	2004/01/25 20:20
20	55		USPAT	2004/01/25 20:20
	1.	(sensor or monitor) and software and		
		server		2004/01/25 20.20
21	12	internet.ab. and medical and download and	USPAT	2004/01/25 20:20
		(sensor or monitor) and software and server and instruction		
22	16	internet same medical same sensor	USPAT	2004/01/25 20:21
23	102		USPAT;	2004/01/25 20:21
23	102	The state of the s	US-PGPUB;	
		•	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	0004/01/05 00 15
24	40		USPAT;	2004/01/25 20:49
		download	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
25	2178	(internet same medical same sensor heart)	USPAT;	2004/01/25 20:50
23	2170	and download	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
26	40	,	USPAT;	2004/01/25 20:50
		sameheart) and download	US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	,
27		(internet same medical same sensor same	USPAT;	2004/01/25 20:50
- '	4	heart) and download	US-PGPUB;	
		1100207 0110 001111000	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	

the state of the state of the state of	المعروب فنستنده		77.0 D 3 M	0004/01/05 00 51
28	15	(internet same sensor same heart) and	USPAT;	2004/01/25 20:51
	*	download	US-PGPUB;	
			EPO; JPO;	
-20			DERWENT;	·
			IBM TDB	0
29	9	(internet same sensor same heart) and	USPAT;	2004/01/25 20:51
	*	internet.ab.	US-PGPUB;	
4		•	EPO; JPO;	· ·
			DERWENT;	
∞			IBM TDB	
30	3	((internet same sensor same heart) and	USPAT;	2004/01/25 20:51
		internet.ab.) and test	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_ =	1	"5515858".PN.	USPAT	2002/12/08 16:08
<u> -</u>	1	"5544661".PN.	USPAT	2002/12/08 16:09
_	1	"5673692".PN.	USPAT	2002/12/08 16:12
-	1	"5678562".PN.	USPAT	2002/12/08 16:12
	1	"6168563".PN.	USPAT	2002/12/08 16:16
-	1	"6168563".PN.	USPAT	2002/12/08 16:25
-	1	"6225901".PN.	USPAT	2002/12/08 16:25
_	1	"6283923"	USPAT	2002/12/10 14:16
-	1	"6283923" and download	USPAT	2002/12/10 14:16

IEEE HOME I SEARCH IEEE SHOP | WEB ACCOUNT | CONTACT IEEE




Membership Publica	ations/Services Standards Conferences Careers/Jobs	
	Velcome United States Patent and Trademark	,
Help FAQ Terms IEE	EE Peer Review Quick Links	»¹Sé:
Welcome to IEEE Xplore*  Home What Can Access?	Your search matched 1 of 1000582 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Descending order.	Relevance
O- Log-out	Refine This Search:	
Tables of Contents  O- Journals	You may refine your search by editing the current search expression new one in the text box.  internet <and> (cardiac <or> cardio <or> heart) <and> (Search)</and></or></or></and>	on or enteri
& Magazines	interfect and (caracter of caracter of meanly street)	
O- Conference Proceedings	☐ Check to search within this result set	
O- Standards	Results Key:  JNL = Journal or Magazine CNF = Conference STD = Standard	
Search	= Your access to full-text	
O- By Author O- Basic O- Advanced  Member Services O- Join IEEE O- Establish IEEE Web Account	1 Correlation analysis for abnormal ECG signal features extramli, A.B.; Ahmad, P.A.; Telecommunication Technology, 2003. NCTT 2003 Proceedings. 4t Conference on , 14-15 Jan. 2003 Pages:232 - 237  [Abstract] [PDF Full-Text (363 KB)] IEEE CNF	
Access the IEEE Member Digital Library		

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved



> home : > about : > feedback **US Patent & Trademark Office** 



Search Results

Search Results for: [internet and download and sensor and (heart or cardio or cardiac )]

Found 24 of 126,502 searched.

Search v	within	Results		[5t•	1	
> Search Help/Tips				> Advanced Search		
Sort by:	Title	Publication	Publication Date	Score	Binder	
Results 1	20 o	f 24 short	listing Prev Page 1 2	□ Next Page	:	

The good, the bad, and the muffled: the impact of different degradations on Internet speech

80%

Anna Watson, M. Angela Sasse

Proceedings of the eighth ACM international conference on Multimedia October 2000

This paper presents an experiment comparing the relative impact of different types of degradation on subjective quality ratings of interactive speech transmitted over packet-switched networks. The experiment was inspired by observations made during a large-scale, long-term field trial of multicast conferencing. We observed that user reports of unsatisfactory speech quality were rarely due to network effects such as packet loss and jitter. A subsequent analysis of conference recordings found t ...

Countdown to success: dynamic objects, GBB, and RADARSAT-1 Daniel D. Corkill

80%

Communications of the ACM May 1997 Volume 40 Issue 5

Face recognition: A literature survey W. Zhao , R. Chellappa , P. J. Phillips , A. Rosenfeld ACM Computing Surveys (CSUR) December 2003 77%

Volume 35 Issue 4

As one of the most successful applications of image analysis and understanding, face recognition has recently received significant attention, especially during the past several years. At least two reasons account for this trend: the first is the wide range of commercial and law enforcement applications, and the second is the availability of feasible technologies after 30 years of research. Even though current machine

recognition systems have reached a certain level of maturity, their success is ...

PSoup: a system for streaming queries over streaming data Sirish Chandrasekaran , Michael J. Franklin

77%

The VLDB Journal — The Internati nal Journal on Very Large Data Bases August 2003

Volume 12 Issue 2

Abstract. Recent work on querying data streams has focused on systems where newly arriving data is processed and continuously streamed to the user in real time. In many emerging applications, however, ad hoc queries and/or intermittent connectivity also require the processing of data that arrives prior to query submission or during a period of disconnection. For such applications, we have developed PSoup, a system that combines the processing of ad hoc and continuous queries by treating data and ...

Poster papers: Discovery net: towards a grid of knowledge discovery V. Ćurčin , M. Ghanem , Y. Guo , M. Köhler , A. Rowe , J. Syed , P. Wendel Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining July 2002

77%

This paper provides a blueprint for constructing collaborative and distributed knowledge discovery systems within Grid-based computing environments. The need for such systems is driven by the quest for sharing knowledge, information and computing resources within the boundaries of single large distributed organisations or within complex Virtual Organisations (VO) created to tackle specific projects. The proposed architecture is built on top of a resource federation management layer and is compos ...

6 Risks to the public: Risks to the public in computers and related systems 77% Peter G. Neumann



**ACM SIGSOFT Software Engineering Notes** May 2003

Volume 28 Issue 3

Forth: Forth mindstorms

77%



Paul Frenger

**ACM SIGPLAN Notices** December 2001

Volume 36 Issue 12

Technical papers: dynamic program analysis: Semantic anomaly detection in online data sources

77%

Orna Raz , Philip Koopman , Mary Shaw

Proceedings of the 24th international conference on Software engineering May 2002

Much of the software we use for everyday purposes incorporates elements developed and maintained by someone other than the developer. These elements include not only code and databases but also dynamic data feeds from online data sources. Although everyday software is not mission critical, it must be dependable enough for practical use. This is limited by the dependability of the incorporated elements. It is particularly difficult to evaluate the dependability of dynamic data feeds, because they ...

From information to conversation Mike Robinson , Yu You , Samuli Pekkola

77%

## ACM SIGGROUP Bulletin December 2000

Volume 21 Issue 3

We support the calls from many commentators to include human interaction in the web, rather than as an extra outside the web. We suggest a generic model of awareness, and some specific interpretations: action-event couplings to call a receiver; general awareness of known others; and local awareness of all others. We then consider extensions to the web into mobile and domestic appliances, and suggest that an underlying awareness service will be needed the ...

10 A search engine for 3D models

77%

Thomas Funkhouser, Patrick Min, Michael Kazhdan, Joyce Chen, Alex Halderman, David Dobkin, David Jacobs

**ACM Transactions on Graphics (TOG)** January 2003

Volume 22 Issue 1

As the number of 3D models available on the Web grows, there is an increasing need for a search engine to help people find them. Unfortunately, traditional text-based search techniques are not always effective for 3D data. In this article, we investigate new shape-based search methods. The key challenges are to develop query methods simple enough for novice users and matching algorithms robust enough to work for arbitrary polygonal models. We present a Web-based search engine system that support ...

11 Challenges: Challenges:: environmental design for pervasive computing 77%

**A** systems

Ravi Jain , John Wullert

Proceedings of the 8th annual international conference on Mobile computing and networking September 2002

We argue that pervasive computing offers not only tremendous opportunities and exciting research challenges but also possible negative environmental impacts, particularly in terms of physical waste and energy consumption. These environmental impacts will come under increasing government and consumer scrutiny, and like other disciplines (e.g. architecture, transportation), pervasive computing will have to adapt accordingly. Further, we argue that software-related issues will play an increasing ro ...

12 Other impairments and rehabilitation technologies: Development of a new robotic interface for telerehabilitation

77%

Corinna E. Lathan , Sharon Malley

Proceedings of the 2001 EC/NSF workshop on Universal accessibility of ubiquitous computing: providing for the elderly May 2001

A system was developed to use gestural interface technology and interactive robotics to facilitate motor development, functional mobility, and speech and language development of children with a wide range of disabilities. The prototype Gestural Interface and Robotic Technology system is an interactive robotic rehabilitation tool, disguised as a toy, which can be controlled via almost any part of the body, through voice-activation, or through a Web-enabled computer interface. Children with disabi ...

**13** Papers: Tactile user interface: Phidgets: easy development of physical

interfaces through physical widgets Saul Greenberg, Chester Fitchett

Proceedings of the 14th annual ACM symposium on User interface software and technology November 2001

Physical widgets or phidgets are to physical user interfaces what widgets are to

77%

graphical user interfaces. Similar to widgets, phidgets abstract and package input and output devices: they hide implementation and construction details, they expose functionality through a well-defined API, and they have an (optional) on-screen interactive interface for displaying and controlling device state. Unlike widgets, phidgets also require: a connection manager to track how devices appear on-line; a ...

**14** Computing curricula 2001

77%

Journal on Educational Resources in Computing (JERIC) September 2001

15 Evaluating and Optimizing Thread Pool Strategies for Real-Time CORBA 77%

🚮 Irfän Pyarali , Marina Spiväk , Ron Cytron , Douglas C. Schmidt

**ACM SIGPLAN Notices** August 2001

Volume 36 Issue 8

Strict control over the scheduling and execution of processor resources is essential for many fixed-priority real-time applications. To facilitate this common requirement, the Real-Time CORBA (RT-CORBA) specification defines standard middleware features that support end-to-end predictability for operations in such applications. One of the most important features in RT-CORBA is thread pools, which allow application developers and end-users to configure and control processor resources. This paper p ...

**16** Testing Intrusion detection systems: a critique of the 1998 and 1999

DARPA intrusion detection system evaluations as performed by Lincoln Laboratory

ACM Transactions on Information and System Security (TISSEC) November 2000 Volume 3 Issue 4

In 1998 and again in 1999, the Lincoln Laboratory of MIT conducted a comparative evaluation of intrusion detection systems (IDSs) developed under DARPA funding. While this evaluation represents a significant and monumental undertaking, there are a number of issues associated with its design and execution that remain unsettled. Some methodologies used in the evaluation are questionable and may have biased its results. One problem is that the evaluators have published relatively little concer ...

17 Software engineering for mobility: a roadmap

77%

77%

Gruia-Catalin Roman , Gian Pietro Picco , Amy L. Murphy

Proceedings of the conference on The future of Software engineering May 2000

**18** An overview of the international symposium on wearable computers

77%

**4**1 1998

Mark Billinghurst, Thad Starner ACM SIGCHI Bulletin January 2000

Volume 32 Issue 1

19 Large-scale space object tracking using APL2

77%

Jack G. Rudd , Richard A. Marsh , Marcus L. Munger

ACM SIGAPL APL Quote Quad, Proceedings of the APL98 conference on Array processing language July 1998

Volume 29 Issue 3

The number of space objects in earth orbit has increased steadily from the launch of the first space object (Sputnik) to the current level of approximately 10,000. The North American Defense Cheyenne Mountain Operations Center (CMOC), operated by the United States and Canada, provides continuous tracking of this growing constellation of space objects, including active and inactive satellites and space debris. This mission is accomplished for the most part using radar stations and ground-based

20 Parallel and distributed simulation

77%



Richard M. Fujimoto

Proceedings of the 31st conference on Winter simulation: Simulation---a bridge to the future - Volume 1 December 1999

Results 1 - 20 of 24

short listing






The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> about : > feedback : > login **US Patent & Trademark Office** 



## Search Results

1997

Search Results for: [internet and download and sensor and (heart or cardio or cardiac )] Found 24 of 126,502 searched.

Sea	arch within Results	
> Se	> Advanced Search	
Sort	t by: Title Publication Publication Date Score Binder	
Res	ults 21 - 24 of 24 short listing  \( \bigcip  \chi \rightarrow  \text{Perv}  \text{Next} \\ \text{Page}  1  2  \text{Page}   \text{Page}  \text{Page}  \text{Page}  \text{Page}  \text{Page}  \text{Page}  \text{Page}  \text{Page}   \text{Page}  \text{Page}   \text{Page}   \text{Page}   \text{Page}   \text{Page}   \text{Page}   \text{Page}    \text{Page}       \text{Page}  \qq	
21	Using a wearable computer for continuous learning and support Lawrence J. Najjar , Chris Thompson , Jennifer J. Ockerman  Mobile Networks and Applications March 1999  Volume 4 Issue 1  A wearable computer with an electronic performance support system can provide continuous learning and support to mobile workers. This system allows mobile users to ask for advice, receive instruction, access productivity tools, communicate with others, and assess their knowledge on a continuous basis. Workers can get this support when they need it, where they need it. Compared to traditional training and support, this new technique may provide substantial performance improvements. We are de	77%
_	Taking living worlds into people's living rooms Tim Regan Proceedings of the third symposium on Virtual reality modeling language February 1998	77%
	The out of box experience: lessons learned creating compelling VRML 2.0 content Sam Chen , Rob Myers , Rick Pasetto Proceedings of the second symposium on Virtual reality modeling language February 1997	77%
24 4	CU-SeeMe VR immersive desktop teleconferencing  Jefferson Han , Brian Smith  Proceedings of the fourth ACM international conference on Multimedia February	77%

Results 21 - 24 of 24

short listing



The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.